

Clarke®

**Clarke®**

*FM and C2K* Floor Polishers



# The Best Polisher In The Industry



Ergonomic, Dihedral/handle for operator comfort.

Dual, independent micro switches reduces down time.

Handle locking device insures safe operation.

Stainless steel strain relief protects power cable.

Chromed handle tube resists rust.

**Hospital Grade Plugs** have soldered wires and hardened ground plug to reduce costs (and increase operator safety).


Large, non-marking wheels.

Machined steel, helical-cut planetary gears provide smooth transmission of power to the floor. Oversized bearings and seals give the gear unit decades of trouble free performance.


360 degrees non-marking, vinyl bumper protects walls and furniture.

1 hp motor with 1.25 service factor means extra power available for grinding, sanding, spin bonnetting, and other applications.

Die cast aluminum housing is five times stronger than sand castings.



Wood Floor Sanding Disc



Concrete Grinding Assembly



Complete Marble Restoration Systems

4 Gal Solution With Ha For

4 Gal Solution With Ha For

4 Gal Solution With Ha For

# C2K Value Engineered To Offer The Most For The Least



Unique "space-age" designed composite safety handle

Dual independent switch levers operate from either side

Strong tubular handle is plated to resist rust and corrosion

Hospital grade plugs have soldered wire terminals and hardened grounding plug - resists damage and provides added operator protection

Toe touch handle lock mechanism eases adjustment for any height

Cord Wrap simplifies storage

Large self storing, easy roll 5" transport wheels with wide 12" stance make transport easy

Strong planetary gear transmissions

Powder coat paint cleans easily and resists rust and corrosion

Strong fabricated steel frame and shroud designed for the toughest applications

Million Tank Hardware FM

Million Tank Hardware C2K



C2K 1600DS



C2K 2000




C2K 18



C2K 13



Pad Driver And Pads




Various Brushes Available For Any Application

# Floor Polishers

# Clarke®

Division of  
**ALTO®**




## FM KEY FEATURES

- Quality and durability have allowed the FM Polisher to be called the "Best in the Industry."
- The motor and gearbox are hand built and backed by an exclusive Seven Year Warranty.

## C2K Key Features

- Unique safety handle
- Rugged steel frame construction provides strength for tough service
- Multiple choices in sizes, speeds, and horse powers
- Smooth and efficient planetary gear system



## SPECIFICATIONS

Model	FM 2300	FM 2000	FM 1700	FM 1500	C2K 16 & 18	C2K 160 180, 200	C2K 1600 1800, 2000	C2K 160HS 180HS, 200HS	C2K 1600DS 2000DS	C2K 13	
Brush Diameter	23" (58.4cm)	20" (50.8cm)	17" (43.2cm)	15" (38.1cm)	16" or 18" (40.6 or 45.7cm)	16", 18" or 20" (40.6, 45.7 or 50.8cm)		16" or 20" (40.6 or 50.8cm)		13" (33.0cm)	
Brush Speed RPM	175					350		175-350		175	
Motor 115V/230V	1.5 hp	1.0			3/4 hp	1 hp	1-1/2 hp	1 hp	1-1/2 hp	1/3 hp	
Gear System	Dual Planetary						Triple Planetary	Dual Planetary	Triple Planetary	Double Reduction	
Power Cable	50 ft. (15.2m)									25 ft. (7.6m)	
Frame	Die Cast				10 gauge stamped steel						
Brush Shroud	Aluminum Alloy				14 gauge stamped steel						
Wheels	5 x 1.75 in. (12.7 x 4.445 cm) non-marking cushion				5 x 1.25 in. (12.7 x 3.175 cm) non-marking cushion						
Machine Weight	126 lbs. (57.2 kg)	107 lbs. (48.5 kg)	102 lbs. (46.3 kg)	98 lbs. (44.5 kg)	88 lbs. (39.9 kg) 89 lbs. (40.4 kg)	88 lbs. (39.9 kg) 89 lbs. (40.4 kg) 91 lbs. (41.3 kg)	89 lbs. (40.3 kg) 90 lbs. (40.8 kg) 92 lbs. (41.7 kg)	88 lbs. (39.9 kg) 89 lbs. (40.4 kg) 91 lbs. (41.3 kg)	81 lbs. (36.7 kg) 84 lbs. (38.1 kg)	36 lbs. (16.3 kg)	
Shipping Weight	145 lbs. (65.8 kg)	117 lbs. (53.0 kg)	110 lbs. (49.9 kg)	104 lbs. (47.2 kg)	102 lbs. (46.3 kg) 103 lbs. (46.7 kg)	102 lbs. (46.3 kg) 103 lbs. (46.7 kg) 105 lbs. (47.6 kg)	103 lbs. (46.7 kg) 104 lbs. (47.2 kg) 106 lbs. (48.1 kg)	102 lbs. (46.3 kg) 103 lbs. (46.7 kg) 105 lbs. (47.6 kg)	95 lbs. (43.1 kg) 98 lbs. (44.5 kg)	48 lbs. (21.8 kg)	
Warranty	7 year				5 year						
CUL Approvals	Yes										

## PRODUCT

- Chromed handle tube resists rust - lasts longer
- Planetary drive system uses precision needle bearings for long life (FM)
- Dual independent micro-switches reduces down time (FM)

## EASE OF USE

- Dual switch levers make operating with either handle a snap
- Machined steel helical cut gears provide smooth, quiet operation (FM)

## PRODUCTIVITY

- Rugged 1 hp motor with 1.25 service factor provides extra power for grinding, sanding and carpet cleaning as well as polishing and scrubbing (FM)

## SAFETY

- All are CUL listed
- Hospital grade plugs have soldered wire terminals and hardened ground plug - resists damage and keeps operator safe

## ACCESSORIES/OPTIONS

- Various brushes for all applications
- Pad drivers
- Solution tanks
- Marble polishing adapter
- Concrete grinding adapters
- Wood floor sanding adapters
- Floor pads for all applications
- Abrasive discs for marble polishing
- See your authorized Clarke® distributor for a full listing of accessories for the polishers

**Clarke®**

2100 Hwy. 265  
Springdale, AR 72764

DISTRIBUTED BY:

Customer Service: 1-800-253-0367  
Fax Orders to: 1-800-825-2753  
Technical Service: 1-800-356-7274

©2002 ALTO U.S. Inc., All Rights Reserved. Specifications subject to change without notice. P/N 79201A