

24" Pivot Premium Drum Fan

- 2-speed rotary control
- Completely sealed motor
- Aluminum blade increases air flow and motor life
- Toolless ergonomic tilt adjustment knobs
- Large wheels and handles for easy transportation
- 6' 6" grounded 3-prong plug
- 1 year warranty
- Tilttable to direct air where needed



All White Fan



Part#	Size	Volts	HP	Amps	CFM	Shipping
PDF24W	24"	120	1/3	2.8	7,200/5,500	UPS

36" Heavy-Duty Belt Drive Drum Fan

- Heavy duty steel shell
- Porcelain coated safety grill
- 4 blade design
- Cord wrap
- 2 speed
- Heavy-duty grounded 8' power cord
- Heavy-duty pneumatic wheels (36" fan - 6" wheels)
- Vibration-free, anti-skid rubber feet
- 1 year warranty

Quiet Operation

10,200/7,300 CFM



Part#	Size	CFM	Volts	HP	Amps	Speed	Shipping
PT36BDF	36"	7,300/10,200	115	1/3	5	Two	Truck

36" Direct Drive Pivot Drum Fan

- Heavy duty steel shell
- Aluminium blades
- Rotary switch
- 12' cord
- Completely sealed ball bearings
- Tilt angle 360°
- Cord wrap & carry handle
- Gray finish
- 1 year warranty

Best Buy!

15,114/10,980 CFM



Part#	Size	CFM	Volts	HP	Amps	Speed	Shipping
HVD36	36"	15,114/10,980	115	1/2	4.8/4.5	Two	Truck



42" Heavy-Duty **Belt Drive** Drum Fans

- Heavy duty steel shell
- Porcelain coated safety grill
- 4 blade design
- Cord wrap
- 2 speed
- Heavy-duty grounded 10' power cord
- Heavy duty pneumatic wheels (42" fan - 10" wheels)
- Vibration-free, anti-skid rubber feet
- 1 year warranty

Quiet Operation



13,300/9,500 CFM




Part#	Size	CFM	Volts	HP	Amps	Speed	Shipping
PT42BDF	42"	9,500/13,300	115	1/2	7	Two	Truck

42" **Direct Drive** Pivot Drum Fan

- Heavy duty steel shell
- Aluminium blades
- Rotary switch
- 12' cord
- Completely sealed ball bearings
- Tilt angle 360°
- Cord wrap & carry handle
- Gray finish
- 1 year warranty

Best Buy!

18,251 CFM



Part#	Size	CFM	Volts	HP	Amps	Speed	Shipping
HVD42	42"	18,251	115	1/2	5.8	Single	Truck


48" Heavy-Duty **Belt Drive** Drum Fans

NEW!

- Heavy duty steel shell
- Porcelain coated safety grill
- 4 blade design
- Cord wrap
- 2 speed
- Heavy-duty grounded 10' power cord
- Heavy duty pneumatic wheels
- Vibration-free, anti-skid rubber feet
- 1 year warranty



10,600/17,200 CFM



Part#	Size	CFM	Volts	HP	Amps	Speed	Shipping
PT48BDF	48"	10,600/17,200	115	1	9.2	Two	Truck

Fans

30" 3-Speed Pedestal Fans

- White cord and blades (white fans only)
- 3-speed pull chain control
- All metal construction
- Adjustable 4' - 6'6"
- Aluminum blade increases air flow and motor life
- Toolless ergonomic tilt adjustment knobs
- 6' 6" grounded 3-prong cord (black & oscillating fans)
- 1 year warranty



8,200/7,200/6,200 CFM

Part#	Oscillating	Size	Volts	HP	Amps	CFM
VF30	No	30"	120	1/3	2.8	8,200/7,200/6,200
VF30W*	No	30"	120	1/3	2.8	8,200/7,200/6,200
VF30SC**	Yes	30"	115	1/3	2.8	8,200/7,200/6,200

*VF30W is white

**VF30SC is black and oscillates

VF30W
Includes
18' Cord



30" Misting Fan

- Independent shut off valve on each nozzle
- GFI ground fault interrupters
- High volume/High velocity fans create cooling by wind movement and dispense the refreshing cooling mist over a large area
- Up to 8-10 hours of use with 1 tank of water
- 15 gallon tank




Fan folds down for easy storage and moving

No Assembly Required!



Part#	Description	Volts	Amps	Tank Res.	Shipping
VAC30N	30" Fan, w/GFI	120V	4	8-10 hrs.	Truck

All motors and fan guards meet or exceed OSHA & UL Standards.



14" & 18" Outdoor Epoxy Coated Tent Fans

- Completely sealed motor and speed control
- 3M™ Fusion bonded epoxy coating for extreme conditions
- Outdoor UL 507 rating
- 3-speed
- Fully adjustable wall mount
- 12' cord on both

Great For Tent Rentals!

Part#	Size	Volts	HP	Amps	CFM
POW14	14" Wall	120	1/8	1.1	4,000/3,300/2,600
POW18	18" Wall	120	1/3	1.8	6,600/4,800/3,800
POWTPB	Tent Pole Bracket				



Blowers

300 CFM Carpet Blower



- Polymeric construction material
- Single speed with rock switch
- 1/15 hp, 155 watts, 1400 rpm motor
- Blue and black finish
- Lay flat or tilt as needed
- 10' SJTW18AWG electric cord
- Built-in cord wrap and carry handle
- 8.3 lbs.



Part#	Volts	Amps
PB3001	115	2

Low Amp Draw!



2500 CFM Carpet Blower

- Polymeric construction material
- 3 speed with rock switch
- 1/2 hp, 380, 460, 570 watts, 750, 950, 1050 rpm motor
- Blue and black finish
- Lay flat or tilt as needed
- 25' SJTW18AWG electric cord
- Built-in cord wrap and carry handle
- 36.3 lbs.



Part#	Volts	Amps
PB25001	115	5.5 / 4.4 / 3.8

1200 CFM Carpet Blower



- Polymeric construction material
- 2 speed with rock switch
- 1/4 hp, 400,260 watts, 1050,900 rpm motor
- Blue and black finish
- Lay flat or tilt as needed
- 10' SJTW18AWG electric cord
- Built-in cord wrap and carry handle
- 25.3 lbs.



Part#	Volts	Amps
PB12001	115	3.5 / 2.3



4000 CFM Carpet Blower

- Polymeric construction material
- 3 speed with rock switch
- 1 hp, 850, 1100, 1250 watts, 950, 1280, 1550 rpm motor
- Blue and black finish
- Lay flat or tilt as needed
- 25' SJTW18AWG electric cord
- Built-in cord wrap and carry handle
- 40.7 lbs.



Part#	Volts	Amps
PB40001	115	10.5 / 9.5 / 8.2

20" Air Mover



- Built-in carrying handles
- On/Off switch
- Rugged steel housing and screen construction
- Stand alone unit or easily stackable
- 14 gauge cord with molded plug
- 74 lbs.



Part#	Size	Volts	HP	Amps	CFM	Shipping
FN20	20"	115	1/2	7	5,000	UPS

20" Confined Space Ventilator

- 4,760 CFM
- Ventilate hazardous gases
- Heavy gauge aluminum housing
- Complete with powder coat safety guards, cord wrap & 10' cord
- Duct sold separately
- 75 lbs.
- 74 dB



Part#	Size	Volts	HP	Amps	CFM	Shipping
CS20	20"	115	1	10	6,500	UPS
CS20D	24" X 25' flexible ducting w/ adjustable belt					UPS