



SNAPPER SHEAR

RECOMMENDED & APPROVED FOR



Have questions?
Ready to buy?
Need service?

Call toll-free:
800-297-7487

MODEL SA902 Siding Gauge

Using a pair of Siding Gauges, one person can install fiber cement siding while ensuring each course stays level. Adjusts for a 5", 6", 7" or 8" reveal. Sold in a set of two.



[WHERE TO BUY](#)

The SNAPPER SHEAR difference

Every Snapper Shear's single-piece head is machined from aircraft-grade aluminum by computer-controlled milling equipment to a tolerance of 0.001", for unparalleled reliability and cutting accuracy.

MODEL SA903 Siding Gauge **COMING SOON!**

For siding installation, similar to SA902 above, but made especially for use with pre-painted siding. Heavy-gauge plastic helps avoid marring the painted surface. Sold in a set of two.



Roof Snake

For nailing replacement shingles. Allows you to slip a nail into position without lifting the shingle on the row above much more than the height of the nail. Includes a handy tool for removing nails from shingles.



Install siding perfectly by yourself!



[WHERE TO BUY](#)

The Gecko Gauge is a combination siding clamp and gauge. With a set of two, one person can quickly and accurately install siding without the need for time-consuming layout.

[MORE DETAILS](#)

MODEL SS404 Fiber Cement Shear

Cuts fiber cement siding up to 5/16" thick. Smooth, fast, and dust-free operation. Based on a 1/2" 6.5-amp motor. Reversible blades machined from solid tool steel. Average blade cost is \$3

per house.

[WHERE TO BUY](#)

[VIDEO DEMO](#)



**No-nonsense
SnapperShear
warranty**



If your SnapperShear does not operate properly, due to defective workmanship or material, simply ship it to PacTool and we will repair and return it. It's as easy as that.

[MORE DETAILS](#)

MODEL SS414

Fiber Cement *Curve* Shear

Cuts scroll-like curves in fiber cement siding up to 5/16" thick. *Not for straight cuts.* Smooth, fast, and dust-free operation. Based on a 1/2" 6.5-amp motor. Reversible blades machined from solid tool steel.

[WHERE TO BUY](#)



MODEL SS424

Backerboard Shear

Cuts HardiBacker backerboard up to 1/2" thick. Not for siding. For straight and curved cuts. Smooth, fast, and dust-free operation. Based on a 1/2" 6.5-amp motor. Reversible blades machined from solid tool steel.

[WHERE TO BUY](#)



MODEL SS402

Fiber Cement Shear

Sioux pneumatic

Air volume requirement: 10cfm. Cuts fiber cement siding up to 5/16" thick. Smooth, fast, and dust-free operation. Reversible blades machined from solid tool steel. Average blade cost is \$3 per house.

[WHERE TO BUY](#)



MODEL SS412

Fiber Cement *Curve* Shear

Sioux pneumatic

Air volume requirement: 10cfm. Cuts scroll-like curves in fiber cement siding up to 5/16" thick. *Not for straight cuts.* Smooth, fast, and dust-free operation. Reversible blades machined from solid tool steel.

[WHERE TO BUY](#)



MODEL SS422

Backerboard Shear

Sioux pneumatic

Air volume requirement: 10cfm. Cuts HardiBacker backerboard up to 1/2" thick. Not for siding. For straight and curved cuts. Smooth, fast, and dust-free operation. Reversible blades machined from solid tool steel.



[WHERE TO BUY](#)

MODEL SS210

Manual Shear

Cuts 5/16" fiber cement plank/panel, 1/4" interior backer board, fiber cement roof shakes, 21" gable angle cut. No power source needed.



[WHERE TO BUY](#)

MODEL SS110

Production Shear

State-of-the-art pneumatic platform shear. Cuts fiber cement siding up to 10-5/8" wide. Dustless operation. Built-in roller feed-tables. Automatic foot-pedal control. Squaring and length guides. Fast, accurate, high-volume cutting. Snap-together one-person assembly system.



[WHERE TO BUY](#)

[VIDEO DEMO](#)

ALL CONTENT COPYRIGHT © 2005 PACTOOL INTERNATIONAL

